



					v
					1
,		* *			
		4	*		
		,		<u>:</u>	




						res and the		
						7		
1		, · · · · · · · · · · · · · · · · · · ·				hed See See See See See See See See See See		3
		4						
•								1
						*		
÷			/					
							e e e e e e e e e e e e e e e e e e e	
						7.		
								. *
	٠				S- 1/1	_		
					W W			*
			-					<u> </u>
		•					_,	
						~		
						ça	1 -07	
						Ф ₁₆ , с		
						•		
				AND				
•		•		,			1 -3	
	,				Çw.			
			- 6					
	. 3.0	10		•			400	7
-	€		* 1					4.1
							1	
		V 70 5 7 10		~	3.3			
				· × .				























Diplopoenstis. My Euras Mony Tyraliditae. yould & minima, Bel



Siculodes to




Longue developed




chol.

lenterle

alichim &





Orocrambus meyr. Heliothela fraitm

I die stant short

Forgue wildenelissed forces, til miles spino zinner



Medisin (notiver)



ingue wolen.

obsolete (Muyrin inon)


ling heurs Reneasth

Thin a so tea, Hb. 11 Bue, amount, & who wound 1 cell elorad (majr.) elaviforella. omosth. 11sep.

short citiated

attount

	•
	6




Meeyna stor . Bost. W. mid. apout 2

htpomate

mid. Ele dilated snelvani, Engl of hamolyloys) and cran wing sported by received in post libralis opens 2- 3.

> foot til min som Nesarcha meyr






foot tel. outermad. o

Processia, mayor gand with soules in land home

Pterophonidae. Winpelest. youther 8/4 24. Plevophorus, Myr. Flu 347 abrem deporivatalis. W.K. parox seg.

sost. We wh mod deure havin about post. til uch long zuie hans Acompsia. HE. In smooth: and who puter. camed ace any difference litt. Here Joseph But who nather about hair y twenta (and always in Barbacerie as Egyment at the west fielder 4 post. 182, M. start tu en median tooth y seates. Oteophoridae. Hu y newly parallet, port til. having no such Semiocosma, mey terminal joint of palps Ly Wigner grand ocaks SymnoBATHRA. Meyr. pseudospretulla Borkhausemia.




mid. Ul. rue h hured beneath Bost. Til. shot weept huned ant. cil. short ; . papi tuyted heme Nymphostola. Hur. 7 to open Jalae kina.


PROFEODES, as hymphostola. but palyinfout tutt


n tust

		, .	
			\
,			
	•		




	, -			
	. f		ž. d 4	
ANY				
		· · · · · · · · · · · · · · · · · · ·		
r				








ot til sough havied post Mib. 181. applicate post. Elb. rough harrod and dessal Mallobathra. Hw 1/50tha 7 to lumen: ant. beciliale Lysiphragma, Mexx. Alwall v, free, Tufter of roam feel. Her 5/1 other, 4 press 11. from 3, secondary cell, 7 to costa tufts growed sealer melichry sa, mays 54 6 stuld or approx Eschatotypa. Hu all Scorecta






























			•			
					\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
	t					
			,			
					•	
					+	
		d ^a				
		•	•			
					and the second s	
~						
•						
				.40		



